



Directed Graphs




Digraphs

- A **digraph** is a graph whose edges are all directed
 - Short for "directed graph"
- Applications
 - one-way streets
 - flights
 - task scheduling




Digraph Properties



- A graph $G=(V,E)$ such that
 - Each edge goes in **one direction**:
 - Edge (a,b) goes from a to b , but not b to a
- If G is simple, $m \leq n \cdot (n - 1)$
- If we keep in-edges and out-edges in separate adjacency lists, we can perform listing of incoming edges and outgoing edges in time proportional to their size


Digraph Application

- **Scheduling:** edge (a,b) means task a must be completed before b can be started



Directed DFS



- We can specialize the traversal algorithms (DFS and BFS) to digraphs by traversing edges only along their direction
- In the directed DFS algorithm, we have four types of edges
 - **discovery edges**
 - back edges
 - **forward edges**
 - cross edges
- A directed DFS starting at a vertex s determines the vertices **reachable** from s






Reachability


- DFS **tree** rooted at v : vertices reachable from v via directed paths






Strong Connectivity



- Each vertex can reach all other vertices




Strong Connectivity Algorithm




- Pick a vertex v in G
- Perform a DFS from v in G
 - If there's a w not visited, print "no"
- Let G' be G with edges reversed
- Perform a DFS from v in G'
 - If there's a w not visited, print "no"
 - Else, print "yes"
- Running time: $O(n+m)$



Strongly Connected Components




- Maximal subgraphs such that each vertex can reach all other vertices in the subgraph
- Can also be done in $O(n+m)$ time using DFS, but is more complicated (similar to biconnectivity).



Transitive Closure


- Given a digraph G , the transitive closure of G is the digraph G^* such that
 - G^* has the same vertices as G
 - if G has a directed path from u to v ($u \neq v$), G^* has a directed edge from u to v
- The transitive closure provides reachability information about a digraph



Computing the Transitive Closure


- We can perform DFS starting at each vertex
 - $O(n(n+m))$

If there's a way to get from **A** to **B** and from **B** to **C**, then there's a way to get from **A** to **C**.





Alternatively ... Use dynamic programming:
The Floyd-Warshall Algorithm

Floyd-Warshall Transitive Closure



- Idea #1: Number the vertices $1, 2, \dots, n$.
- Idea #2: Consider paths that use only vertices numbered $1, 2, \dots, k$, as intermediate vertices:





Floyd-Warshall's Algorithm

- Number vertices v_1, \dots, v_n
- Compute digraphs G_0, \dots, G_n
 - $G_0 = G$
 - G_k has directed edge (v_i, v_j) if G has a directed path from v_i to v_j with intermediate vertices in $\{v_1, \dots, v_k\}$
- We have that $G_n = G^*$
- In phase k , digraph G_k is computed from G_{k-1}
- Running time: $O(n^3)$, assuming `areAdjacent` is $O(1)$ (e.g., adjacency matrix)

Algorithm *FloydWarshall*(G)

Input digraph G

Output transitive closure G^* of G

$i \leftarrow 1$

for all $v \in G.vertices()$

denote v as v_i

$i \leftarrow i + 1$

$G_0 \leftarrow G$

for $k \leftarrow 1$ to n **do**

$G_k \leftarrow G_{k-1}$

for $i \leftarrow 1$ to n ($i \neq k$) **do**

for $j \leftarrow 1$ to n ($j \neq i, k$) **do**

if $G_{k-1}.areAdjacent(v_i, v_k) \wedge$


$G_{k-1}.areAdjacent(v_k, v_j)$

if $\neg G_k.areAdjacent(v_i, v_j)$


$G_k.insertDirectedEdge(v_i, v_j, k)$

return G_n


Floyd-Warshall Example




Floyd-Warshall, Iteration 1




Floyd-Warshall, Iteration 2




Floyd-Warshall, Iteration 4




Floyd-Warshall, Iteration 5



Floyd-Warshall, Iteration 6



Floyd-Warshall, Conclusion



DAGs and Topological Ordering

- A directed acyclic graph (DAG) is a digraph that has no directed cycles
- A topological ordering of a digraph is a numbering


$$v_1, \dots, v_n$$

of the vertices such that for every edge (v_i, v_j) , we have $i < j$


- Example: in a task scheduling digraph, a topological ordering a task sequence that satisfies the precedence constraints

Theorem


A digraph admits a topological ordering if and only if it is a DAG



DAG G




Topological ordering of G



Topological Sorting

- Number vertices, so that (u,v) in E implies $u < v$



Algorithm for Topological Sorting

- Note: This algorithm is different than the one in the book

Algorithm TopologicalSort(G)

$H \leftarrow G$ // Temporary copy of G

$n \leftarrow G.\text{numVertices}()$

while H is not empty **do**

 Let v be a vertex with no outgoing edges

 Label $v \leftarrow n$

$n \leftarrow n - 1$

 Remove v from H

- Running time: $O(n + m)$

Implementation with DFS

- Simulate the algorithm by using depth-first search
- $O(n+m)$ time.

Algorithm *topologicalDFS(G)*

Input dag G

Output topological ordering of G
 $n \leftarrow G.numVertices()$

for all $u \in G.vertices()$

setLabel(u, UNEXPLORED)

for all $v \in G.vertices()$

if *getLabel(v) = UNEXPLORED*

topologicalDFS(G, v)

Algorithm *topologicalDFS(G, v)*

Input graph G and a start vertex v of G

Output labeling of the vertices of G
in the connected component of v

setLabel(v, VISITED)

for all $e \in G.outEdges(v)$

 { outgoing edges }

$w \leftarrow opposite(v, e)$

if *getLabel(w) = UNEXPLORED*

 { e is a discovery edge }

topologicalDFS(G, w)


else

 { e is a forward or cross edge }


 Label v with topological number n

$n \leftarrow n - 1$


Topological Sorting Example




Topological Sorting Example




Topological Sorting Example




Topological Sorting Example




Topological Sorting Example




Topological Sorting Example




Topological Sorting Example



Topological Sorting Example



Topological Sorting Example



Topological Sorting Example

